

A world  
of colours  
to energize  
your sport

HETEROGENEOUS VINYL  
**Multigym  
450**



HETEROGENEOUS VINYL

# Multigym 450



5203 079

Red



5203 078

Orange




5203 081

Soft Green

HETEROGENEOUS VINYL

# Multigym 450



5203 080

Blue





 5203 057

Noyer Brown



 5203 047

Antik Oak Beige

HETEROGENEOUS VINYL

# Multigym 450

## Specification

### Multigym 450



#### CERTIFICATION & CLASSIFICATION

#### STANDARDS

#### Multigym 450

Vinyl floor Covering	EN ISO 26986		23
Classes of Use	EN ISO 10874		31
Impact Sound Absorption	EN ISO 717-2		20 dB

#### TECHNICAL CHARACTERISTICS

#### STANDARDS

#### Multigym 450

Total Thickness	EN ISO 24346		4.50 mm
Wear Layer Thickness	EN ISO 24340		0.30 mm
Residual Indentation	EN ISO 24343-1		≤ 0.35
Weight	EN ISO 23997		3,000 kg/m <sup>2</sup>
Wear Layer Binder Content	ISO 11638		Type 1
Roll Dimensions	EN ISO 24341		Roll Length : 19 m
			Roll Width : 4 m
Castor Chair	ISO 4918		OK

#### TECHNICAL PERFORMANCES

#### STANDARDS

#### Multigym 450

Slip Resistance	EN 13893		μ ≥ 0.30
	DIN 51130		R10
Fire Classification	EN 13501-1		Cfl-S1
Static Electrical Propensity	EN 1815		≤ 2 kV
Chemical Resistance	EN ISO 26987		Not Affected
Dimensional Stability	EN ISO 23999		≤ 0.40%
Light Fastness	EN ISO 105 B02		≥ 6
Thermal resistance for underfloor heating	ISO 10456 - EN 12524-1		0.07 m <sup>2</sup> /kW

The above information is subject to modification for the benefit of further improvement. (05/14).  
Tarkett's instructions regarding installation, cleaning and maintenance should be observed.



**Multigym 450**  
No. 0131-0009-DoP-2014-12  
<http://www.home.tarkett.com>  
Manufactured by:  
Tarkett GDL S.A.  
2 Op der Sang, L-9779 Lentzweiler

EN 14041 : 2004

PHthalate  
FREE  
Technology

< 100 μg/m<sup>3</sup>\*  
Better Indoor  
Air Quality

100 %  
Recyclable

\*except recycled content      \*TVOC AT 28 DAYS

