

Eurocllic




Plank Chestnut



Mandarine Chestnut


Rosetta®





Crown AC4



Exotic Wenge



European Pine



Plank Chestnut



Smoked Oak



Classic Walnut




Black Walnut

15 YR
WARRANTY
RESIDENTIAL
AC3

Crest C3

7 YR
WARRANTY
COMMERCIAL
AC3




Charcoal



American Walnut



Harvest Oak



Rustic Chestnut



Rich Walnut



Wenge



Crest AC3



Natural Teak



Pearl White



Light Teak



Walnut



Manderine Chestnut



Apple Wood

Product Description

Series	Crown	Crest
Abrasion Resistance	AC4	AC3
Total Thickness	8.3 mm	
Plank Size	1215 x 196	
Packing	20.40 Sq ft per box	
Surface Finish	Middle Embossed	
Core Material	High Density Fiber Board (HDF)	
Installation System	Euroclik	

Cleaning and Maintenance

Clean all liquid spills immediately. Simply dust mop or vacuum with a soft brush or wood-floor accessory to keep your floor clean from dust, dirt, or grit. A damp cloth or mop can be used without damage to the laminate panels, but do not use excessive water. Never spray water directly onto floor. Dry the floor thoroughly with a clean, soft cloth. Do not use soap based detergents, abrasive cleaners or combined "clean and shine" product on your laminate floor. Do not use steel wool or other scouring pads that may scratch laminate panels. Do not wax or polish your laminate flooring. Apply felt pads to furniture legs to avoid scratches. Save a few extra boards for the future to replace a damaged panel.


Rosetta matching profiles for laminate flooring




SKIRTING
THE CLASSIC FINISH
TO YOUR LAMINATE
Floor, used where
wall and flooring meet.



T-PROFILE
*Fills the gap at doorways,
& finishes spaces between
the two areas of laminate
flooring.*



QUARTER ROUND
A REASONABLE FINISH
TO YOUR LAMINATE
FLOOR, used where
wall and flooring meet.




END PROFILE
FINISHES THE SPACE
WHERE LAMINATE
FLOORING ends
(such as sliding glass doors,
along wall base, door, door
thresholds & carpet).



REDUCER
PROVIDES A smooth transition
from your laminate floor to
another type of flooring of a
lower height.




**Heavy domestic
use**



**Heavy commercial
use**



**Confirming to EPLF
standards**



Double click



Warranty

The laminate flooring has a warranty against fading, staining and wearing through. This warranty applies only to the original purchaser, and proof of purchase must be retained for all claims. The warranty covers the replacement or refund of the product but does not include labor involved. Chips and scratches are not covered by the warranty laminate may chip or scratch if a sharp object is dropped on it or dragged across it), warping (laminate will warp if excessive moisture gets into the boards), or bridging (occurs when insufficient expansion space is provided). Claims for these problems will not be considered. Claims for wear must show a minimum 1/2 inch diameter area. This warranty is pro-rated based on the amount of time the floor has been installed. For example, if you have a claim after 6 years, we would refund or replace 3/5 of the laminate value (6 years is 2/5 / 15 / 7 years).

