




MADE IN
BELGIUM

THE QUICKEST SOLUTION FOR ALL ENTRANCES



COLLECTION

Quick**MAT**

THE QUICKEST SOLUTION FOR ALL ENTRANCES



OBJECTIVE

Protecting people, protecting buildings : entrance mats are essential for new and renovated buildings. ROMUS primary mats are designed especially to prevent dirt and moisture penetrating into buildings, in order to stop premature wear of the floor covering, limiting maintenance costs and avoiding falls.



UNIQUE SERVICE

Because service is as equally important as quality, Quickmat is the only entrance mat with collecting zone available immediately, without leadtime, in rolls, cut to length. An easy product thanks to the on site cutting : no risk !



EXPERTISE

Supported by the expertise acquired over 50 years in the sector of building finishes, we have developed a new primary entrance mat concept. **Quickmat** consists of different types of inserts, namely scraping and absorbing inserts, and feature a dirt collecting system. This product can be shaped to size on site.



**SAVE TIME :
IMMEDIATE
INSTALLATION**

Cut-service



**MANUFACTURE POWERED
WITH RENEWABLE ENERGY**

1600 m² of solar panels covering 150% of the energy needed for manufacturing

X10 10 TIMES MORE CAPACITY TO TRAP THE DUST THAN TEXTILE ENTRANCE FLOOR

Dust emission study on Quick Duo tested by an independent test laboratory

**NO RISK OF
ERRORS IN
DIMENSIONS** **0%**

Accurate shape to size on site



**TRAFFIC UP TO
2000**



Many high traffic projects installed worldwide with Quick Mat

1 ONE GLOBAL CONCEPT FOR BOTH OUTDOOR AND INDOOR



MATWELL FRAMES



Bevelled Access Profile - Alu. Silver (4 m)



"L" Reinforced Matwell Frame - Alu. Silver (2 m)

Quick Duo Indoor



Matwell frames:


Matwell frame "L" Alu profiles (12mm height) in 2m for projects where the mat will be inserted in a matwell (Recommended)

QUICK DUO is a primary mat for heavy traffic, made of polypropylene and polyamide spread over 2 inserts separated by collecting zones :


- (1) Polyamide brush scraping insert for coarse dirt.
- (2) Needle punch polypropylene insert which absorbs moisture.

Location : Offices, meeting room, etc.
Purpose : Scraping and absorbent mat for indoor use.

The cut is made over the length L.




Anthracite	
2m x 20m rolls	8861



- 1** Polypropylene scraping insert
- 2** Polyamide scraping and absorbing insert
- 3** Collecting zone

Quick Dry Alu Indoor




Bevelled Access (Ramp Frame):

Seuil à la Suisse is a 4m Aluminium ramp profile (12mm height) for projects where the entrance matting has to be on top of the floor.


QUICK DRY ALU is a primary mat for heavy traffic and for indoor use, made from 100% polyamide brushing and absorbing inserts separated by an aluminium insert for design purpose. Allows heavy traffic and maximum dirt removal. The fire resistance Cfl-s1 of a stuck down Quick Dry Alu makes it eligible and qualified for all the major projects of public buildings. To coordinate with Scrapex for outdoor.

Location : Townhall, Schools, office buildings, shops, clinics, banks, etc.

Purpose : Scraping and absorbent mat for indoor use.



Anthracite	
2m x 10m Rolls	8899



- 1** Polypropylene scraping and absorbing insert
- 2** Aluminium Scraping insert
- 3** Collecting zone

Quick Scrapex Alu Outdoor Perforated




Bevelled Access (Ramp Frame):

Seuil à la Suisse is a 4m Aluminium ramp profile (12mm height) for projects where the entrance matting has to be on top of the floor.


QUICK SCRAPEX ALU Perforated is a primary mat for heavy traffic and for both outdoor and indoor use. Made from 100% polyamide brush inserts for heavy scraping on perforated polypropylene dots backing for better water drainage.

Location : Schools, office buildings, shops, clinics, banks, etc.

Purpose : Scraping and absorbent mat for outdoor and indoor use.



	Grey
2m x 10m Rolls	8879



- 1** Polyamide scraping insert
- 2** Perforated collecting zone
- 3** Aluminium scraping insert



CHARACTERISTICS

	INDOOR		OUTDOOR
	Quick Duo	Quick Dry Alu	Quick Scrapex Alu
Class	31 - Commercial moderate	33 - Commercial heavy	33 - Commercial heavy
Material	Polyamide 6.6 and Polypropylene	Polyamide 6.6 and mill aluminium	Polyamide 6.6 and mill aluminium
Backing	Latex 3 mm	Latex 3 mm	Latex 3 mm
Weight	2.7 kg/m ²	6 kg/m ²	3.5 kg/m ²
Thickness	13 mm	13 mm	13 mm
Fire Resistance	Efl	Cfl-S1	Efl
Slip Resistance	DS > 0,30	DS > 0,30	DS > 0,30
Water Absorption	3.5 L/m ²	3.3 L/m ²	3.8 L/m ²
Availability	Cut to length or in 2m x 20m rolls	Cut to length or in 2m x 10m rolls	Cut to length or in 2m x 10m rolls

Matwell frames & Bevelled Access Profiles (Ramps):

Matwell frame "L" Alu profiles (12mm height) in 2m for projects where the mat will be inserted in a matwell (Recommended)

Seuil à la Suisse is a 4m Aluminium ramp profile (12mm height) for projects where the entrance matting has to be on top of the floor.

