




uni collection
START

* Vinyl floor covering



SINTEROS vinyl*[®] By  **Tarkett**





Black - 230550057



White - 230550067



Grey - 230550061



Black - 230550057



Red - 230550065



Blue - 230550059


















Grass Green - 230550063

uni collection START

* Vinyl floor covering


The economic and practical solution for your home !
The START uni collection has six beautiful designs that will make your daily life easier thanks to easy styling and simple care.

TECHNICAL CHARACTERISTICS:

ISO 10874		Classification - residential	
ISO 24346		Total thickness	2,00 mm
ISO 24340		Wear layer thickness	0,13 mm
ISO 23997		Total weight	1,35 kg/m ²
ISO 24341		Roll width	4 m
ISO 24341		Roll length	30m
ISO 24343-1		Residual indentation	≤0,35 mm
ISO 23999		Dimensional stability	≤0,1%
EN 13501-1		Fire resistance	
ISO 105 B02 - Method 3		Light fastness (blue scale)	7/8
ISO 717/2		Sound absorption	20 dB
EN 12524		Floor heating suitability*	

*the temperature at the surface of the floor should not exceed 27°C

PRODUCT STRUCTURE:



1. Protective layer
2. Design
3. Top compact
4. Glass fiber
5. Foam backing
6. Back print



Floor must be glued across whole surface

