

Start Madison 1



Start Ostrov 1



Start Nancy 1



Start Nancy 2




\* Vinyl floor covering

The economic and practical solution for your home!
The START collection has six beautiful designs inspired by nature that will make your daily life easier thanks to easy styling and simple care.

## **TECHNICAL CHARACTERISTICS:**

ISO 10874	Classification - residential	
ISO 24346 © V	Total thickness	2,00 mm
ISO 24340	Wear layer thickness	0,13 mm
ISO 23997	Total weight	1,35 kg/m <sup>2</sup>
ISO 24341	Roll width	4 m
ISO 24341	Roll length	30m
ISO 24343-1	Residual indentation	≤0,35 mm
ISO 23999 © \( \times \)	Dimensional stability	≤0,1%
EN 13501-1 C <sub>ff</sub> -\$1	Fire resistance	C <sub>ff-S</sub> 1
ISO 105 B02 - Method 3	Light fastness (blue scale)	7/8
ISO 717/2	Sound absorption	20 dB
EN 12524	Floor heating suitability*  *the temperature at the surface of the floor should not exceed 27°C	<b>V</b>

## **PRODUCT STRUCTURE:**



- 1. Protective layer
- 2. Design
- 3. Top compact
- 4. Glass fiber
- 5. Foam backing
- 6. Back print

Floor must be glued across whole surface



