


# WPC OUTDOOR DECKING







## Why TekDeck WPC?

TekDeck is committed to the development of long lasting, low-maintenance decking. TekDeck boards are made of solid planks that are extremely resilient.

### 1 *Low Maintenance*

TekDeck co-extrusion WPC maintains its color and characteristics without the work of painting, staining or sealing.

### 2 *Warranty*

TekDeck offers 5-year limited warranty on all products for both commercial and residential applications. And our warranty can be transferred to a second homeowner - a great selling feature when you're ready to relocate.

### 3 *Sub-floors*

- 1) WPC Keels (5 yrs Warranty)
- 2) Red Meranti batons or Class 4 wood (5 yrs Warranty)
- 3) Aluminium System on Pedestal (25 yrs Warranty)

### 4 *Decking dimensions*

Deck boards are 200 cm x 12.6 cm x 1.9 cm (78.74" x 4.96" x 0.74")



*Available Colors*



*Flaxen*



*Hickory*



*Ochre*



*Flaxen  
HAG04*



*Hickory  
HAG11*




*Ochre  
HAG10*






Hallow Plank





Bracking Consequences Of Hallow Decking



Deformation Consequences of Incorrect Installation





Water Absorbtion	0.62%
Expansion Rate	0.74% Width 1.13% Thickness
Dimensional Change (Extension/Shrinkage)	0.17mm
Surface Appearance	No Fissures or Bubbles after boiling test (5h)
Load Retention Rate	99%
Anti-slip Value (PTV)	82

	<p>GS012 half coating co-extrusion (19x126x2000mm)</p>	<p>Length tolerance: +/-2mm, width &amp; thickness tolerance: +/-0.5mm</p>
	<p>WPC decking keel, P-001 (30x50x2000mm) + Screws (Black)</p>	
	<p>Stainless steel clips + Start/end clips</p>	<p>304 stainless steel metal clips, used for fixing the decking</p>
	<p>D001 co-extrusion angle (50x50x2000mm)</p>	<p>In matching colors</p>






**TEK DECK**



*Ask For Our Other Outdoor Products To Compliment Your TekDeck*

*Landscape Grass*



*Outdoor Furniture, Umbrellas and lighting*

