

# allure<sup>®</sup>

RIGID CORE 5.2



## RIGID CORE COLLECTION

# FINE LINE OAK



EN 14041



A New Generation of Vinyl Surfaces:  
Beauty, Style, Strength and Performance



RIGID CORE COLLECTION  
FINE LINE OAK



Amber 05021



RIGID CORE COLLECTION  
FINE LINE OAK



Sun Baked 050212

RIGID CORE COLLECTION  
**FINE LINE OAK**

Snow Pack 050217

RIGID CORE COLLECTION  
FINE LINE OAK

Novotel Gate Grey 05028





RIGID CORE COLLECTION  
**FINE LINE OAK**

Castle Slate 050210



# allure<sup>®</sup> RIGID CORE 5.2

## FINE LINE OAK COLLECTION

CONSTRUCTION / CONSTRUCTION

TOTAL THICKNESS / ÉPAISSEUR TOTALE

WEAR LAYER / COUCHE D'USURE

UTILIZATION CLASS / CLASSE D'USAGE

EN 16511 - EN ISO 10582

COATING / PROTECTION

EMBOSSING / STRUCTURE

BEVELLED / BISEAUTÉ

PLANK SIZE / DIMENSIONS DE LA LAME

CARTON PACKING / EMBALLAGES EN CARTON

PALLET PACKING / BOÎTES PAR PALETTE

IMPACT SOUND REDUCTION / RÉDUCTION DU BRUIT D'IMPACT

EN ISO 717-2

CASTOR CHAIR RESISTANCE / ESSAI DE LA CHAISE À ROULETTES

EN ISO 4918 - EN 425

MICRO-SCRATCH RESISTANCE / RÉSISTANCE AUX MICRO-RAYURES

EN 16094

ELECTROSTATIC PERFORMANCE / POTENTIEL DE CHARGE ELECTROSTATIQUE

EN 1815

SLIP RESISTANCE / ANTIDÉPARANT

DIN 51130

WEAR RESISTANCE / RÉSISTANCE D'USURE

EN 660-2

RESIDUAL INDENTATION / POINÇONNEMENT RÉMANENT

EN ISO 24343-1

DIMENSIONAL STABILITY / STABILITÉ DIMENSIONNELLE

EN 434

FIRE RATING / CLASSIFICATION AU FEU

EN ISO 9239-1

FORMALDEHYDE EMISSION / EMISSION DE FORMALDEHYDE

EN717-1

WARRANTY FOR DOMESTIC USE / PÉRIODE DE GARANTIE USAGE DOMESTIQUE

WARRANTY FOR COMMERCIAL USE / PÉRIODE DE GARANTIE USAGE COMMERCIAL

	RIGID CORE 5.2 FINE LINE OAK
	4.2 MM RIGID CORE + 1 MM IXPE
	5.2 MM
	0.55 MM
	CLASS 34
	URETHANE WITH CERAMIC BEAD (CB)
	NATURAL TIMBER
	YES
	220 x 1210 MM
	2.13 M <sup>2</sup> 8 PLANKS
	60 PACKS / 860 KG / PALLET
	20 dB
	PASS
	MSR-A2 / MSR-B1
	< 2 KV
	R10
	GROUP T
	PASS
	≤ 0.05%
	BFL-S1
	CLASS E1
	15 YEARS
	10 YEARS

